

**From:** [Ex. 4 - CBI]  
**Sent:** 2/9/2012 11:36:39 AM  
**To:** Fred Foreman/ESC/R3/USEPA/US@EPA; Terry Simpson/ESC/R3/USEPA/US@EPA  
**CC:** Colleen Walling/ESC/R3/USEPA/US  
**Subject:** Fw: 180-2644-1 - Validated Electronic Data for Dimock Residential Groundwater

Per Fred's request.

[Ex. 4 - CBI]  
Lockheed Martin IS&GS - Civil  
Energy & Environment  
ESAT Region 3  
US EPA Environmental Science Center  
701 Mapes Road  
Ft. Meade, MD 20755-5350  
(410) 305-3037

**Ex. 4 - CBI**

----- Forwarded by [Ex. 4 - CBI] on 02/09/2012 11:36 AM -----

**From:** [Ex. 4 - CBI]  
**To:** Richard Fetzer/R3/USEPA/US@EPA  
**Cc:** [Ex. 4 - CBI] gnance@techlawinc.com  
**Date:** 02/08/2012 05:22 PM  
**Subject:** 180-2644-1 - Validated Electronic Data for Dimock Residential Groundwater

Richard Fetzer  
US EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103-2029

Dear Richard,

Attached to this message you will find electronic files containing the validation report and validated organic data for the Dimock Residential Groundwater site, Case # 180-2644-1. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 02024A

[attachment "180-2644-1\_ORG\_Validated\_DSF.XLS" deleted by Terry Simpson/ESC/R3/USEPA/US] [attachment "180-2644-1 02024A.PDF" deleted by Terry Simpson/ESC/R3/USEPA/US]

Sincerely,

[Ex. 4 - CBI]  
Lockheed Martin IS&GS - Civil  
Energy & Environment  
ESAT Region 3  
701 Mapes Road  
Ft. Meade, MD 20755-5350

**Ex. 4 - CBI**